







UNI-BRAINS CO., LTD.

TEL: +86-769-85846115 FAX: +86-769-85841319
 WEB: <http://www.uni-brains.com/> & <http://www.nigogo.com.tw>
 Email: www@uni-brains.com or sales@nigogo.com.tw

2009 HDD Media Player Series

Model No.	Product Photo	Description
EN861	SunPlus 1002	SD Card Media Player
Media Player		<ol style="list-style-type: none"> 1.Supports media formats: MPEG1-4/DivX/DVD/VCD/JPEG 2.Supports file format: AVI, DAT, MPG,JPG 3.Music/Photo Slide Show 4.Supports 7 preset Music EQ 5.Supports DivX Subtitle select 6.with AC 100/240V to DC 5V power 7. Supports TV type PAL and NTSC 8. Panel key control 9. Remote control 10.Supports AV & S-vedio output 11.Supports USB HOST 12.Supports SD card interface
EN862	SunPlus 1002	SD Card Media Player
Media Player		<ol style="list-style-type: none"> 1.Supports media formats: MPEG1-4/DivX/DVD/VCD/JPEG 2.Supports file format: AVI, DAT, MPG,JPG 3.Music/Photo Slide Show 4.Supports 7 preset Music EQ 5.Supports DivX Subtitle select 6.with AC 100/240V to DC 5V power 7. Supports TV type PAL and NTSC 8. Panel key control 9. Remote control 10.Supports AV & S-vedio output 11.Supports USB HOST 12.Supports SD card interface 13.Supports:LCD DISPLAYER
EN306TV-AV-IDE	ESS6430/SunPlus 1002	TV Player (3.5" IDE HDD)
		<ol style="list-style-type: none"> 1.Supports media formats: MPEG1-2/DivX/DVD/VCD/JPEG/GIF 2.Supports file format: AVI, DAT, MPG,JPG,GIF 3.Music/Photo Slide Show 4.Supports 7 preset Music EQ 5.Supports DivX Subtitle select 6.with AC 100/240V to DC 5V/12V power 7.Plug & Play and compatible with PCs and Macintosh 8. Supports 480Mbps high-speed USB 2.0 port 9. Supports TV type PAL and NTSC 10. LCD display 11. Panel key control 12. Remote control 13.3.5" IDE HDD. 14.Supports FAT32 & NTFS format. 15.8CM cooling fan 16.Supports AV & S-vedio output
EN306TV-AV-SATA	ESS6430/SunPlus 1002	TV Player (3.5" SATA HDD)
		<ol style="list-style-type: none"> 1.Supports media formats: MPEG1-2/DivX/DVD/VCD/JPEG/GIF 2.Supports file format: AVI, DAT, MPG,JPG,GIF 3.Music/Photo Slide Show 4.Supports 7 preset Music EQ 5.Supports DivX Subtitle select 6.with AC 100/240V to DC 5V/12V power 7.Plug & Play and compatible with PCs and Macintosh 8. Supports 480Mbps high-speed USB 2.0 port 9. Supports TV type PAL and NTSC 10. LCD display 11. Panel key control 12. Remote control 13.3.5" SATA HDD. 14.Supports FAT32 & NTFS format. 15.8CM cooling fan 16.Supports AV & S-vedio output

<p>EN306TV-AV-Combo</p>	<p>ESS6430/SunPlus 1002</p> 	<p>TV Player (3.5" IDE/SATA HDD)</p> <ol style="list-style-type: none"> 1.Supports media formats: MPEG1-2/DivX/DVD/VCD/JPEG/GIF 2.Supports file format: AVI, DAT, MPG,JPG,GIF 3.Music/Photo Slide Show 4.Supports 7 preset Music EQ 5.Supports DivX Subtitle select 6.with AC 100/240V to DC 5V/12V power 7.Plug & Play and compatible with PCs and Macintosh 8. Supports 480Mbps high-speed USB 2.0 port 9. Supports TV type PAL and NTSC 10. LCD display 11. Panel key control 12. Remote control 13.3.5" IDE/SATA HDD. 14.Supports FAT32 & NTFS format. 15.8CM cooling fan 16.Supports AV & S-vedio output
<p>EN388TV-C2</p> <p>BRAND NEW !!</p> <p>Supports H264/MKV</p>	<p>IC:CC1100</p> 	<p>3.5" SATA HDD Media Player(1.5Gb/s or 3.0Gb/s)</p> <ol style="list-style-type: none"> 1. Support TV schedule record 2. Support data share (NAS) 3. Support WIFI (Option) 4. Output with HDMI 1.2 (1080I) 5. Support 2.5/3.5 " SATA HDD 6. Support USB 2.0 host(OTG);SD/MMC Card(maximum capacity 8G) 7. Support file management system: sorted browse,copy,paste,delete 8. Language learning function 9. Support fuctions of playing background with music,dynamic effects switching,zooming,revolving,and one screen with nice pictures 10. Support software upgrade 11. Schedule play:automatically play movie by advance setting schedule 12. Audio output:stereo/SPDIF/5.1CH/optical 13. Support video format:RM/RMVB/H.264/MPEG/DAT/FIV/VOB/TS/MP4/ASF/WMV(1/8/9)/MKV/MOV 14. Support audion format:MP3/WMA97/8/9)/AC3/OGG/AAC/RA 15. Support photo format:BMP/JPEG/GIF/PNG
<p>EN388TV-IDE</p>	<p>ESS6430/SunPlus 1002</p> 	<p>3.5" HDD to TV Player (IDE HDD)</p> <ol style="list-style-type: none"> 1.Supports media formats: MPEG1-2/DivX/DVD/VCD/JPEG/GIF 2.Supports file format: AVI, DAT, MPG,JPG,GIF 3.Music/Photo Slide Show 4.Supports 7 preset Music EQ 5.Supports DivX Subtitle select 6.with AC 100/240V to DC 5V/12V power 7.Plug & Play and compatible with PCs and Macintosh 8. Supports 480Mbps high-speed USB 2.0 port 9. Supports TV type PAL and NTSC 10. LCD display 11. Panel key control 12. Remote control 13.3.5" IDE HDD. 14.Supports FAT32 & NTFS format. 15.8CM cooling fan 16.Supports AV & S-vedio output <p>OPTION:SD card reader</p> <p>option:USB HOST</p>
<p>EN388TV-SATA</p>	<p>ESS6430/SunPlus 1002</p> 	<p>3.5" HDD to TV Player (SATA HDD)</p> <ol style="list-style-type: none"> 1.Supports media formats: MPEG1-2/DivX/DVD/VCD/JPEG/GIF 2.Supports file format: AVI, DAT, MPG,JPG,GIF 3.Music/Photo Slide Show 4.Supports 7 preset Music EQ 5.Supports DivX Subtitle select 6.with AC 100/240V to DC 5V/12V power 7.Plug & Play and compatible with PCs and Macintosh 8. Supports 480Mbps high-speed USB 2.0 port 9. Supports TV type PAL and NTSC 10. LCD display 11. Panel key control 12. Remote control 13.3.5" SATA HDD. 14.Supports FAT32 & NTFS format. 15.8CM cooling fan 16.Supports AV & S-vedio output <p>OPTION:SD card reader</p> <p>option:USB HOST</p>

<p>EN336TV-IDE</p>	<p>ESS6430/SunPlus 1002</p> 	<p>3.5" HDD to TV Player (IDE HDD)</p> <ol style="list-style-type: none"> 1.Supports media formats: MPEG1-2/DivX/DVD/VCD/JPEG/GIF 2.Supports file format: AVI, DAT, MPG,JPG,GIF 3.Music/Photo Slide Show 4.Supports 7 preset Music EQ 5.Supports DivX Subtitle select 6.with AC 100/240V to DC 5V/12V power 7.Plug & Play and compatible with PCs and Macintosh 8. Supports 480Mbps high-speed USB 2.0 port 9. Supports TV type PAL and NTSC 10. LCD display 11. Panel key control 12. Remote control 13.3.5" IDE HDD. 14.Supports FAT32 & NTFS format. 15.8CM cooling fan 16.Supports AV & S-vedio output <p>OPTION:SD card reader option:USB HOST</p>
<p>EN328TV-E-IDE</p>	<p>ESS6430/SunPlus 1002</p> 	<p>3.5" HDD to TV Player (IDE HDD)</p> <ol style="list-style-type: none"> 1.Supports media formats: MPEG1-2/DivX/DVD/VCD/JPEG/GIF 2.Supports file format: AVI, DAT, MPG,JPG,GIF 3.Music/Photo Slide Show 4.Supports 7 preset Music EQ 5.Supports DivX Subtitle select 6.with AC 100/240V to DC 5V/12V power 7.Plug & Play and compatible with PCs and Macintosh 8. Supports 480Mbps high-speed USB 2.0 port 9. Supports TV type PAL and NTSC 10. LCD display 11. Panel key control 12. Remote control 13.3.5" IDE HDD. 14.Supports FAT32 & NTFS format. 15.8CM cooling fan 16.Supports AV & S-vedio output <p>OPTION:SD card reader option:USB HOST</p>
<p>EN328TV-E-SATA</p>	<p>ESS6430/SunPlus 1002</p> 	<p>3.5" HDD to TV Player (SATA HDD)</p> <ol style="list-style-type: none"> 1.Supports media formats: MPEG1-2/DivX/DVD/VCD/JPEG/GIF 2.Supports file format: AVI, DAT, MPG,JPG,GIF 3.Music/Photo Slide Show 4.Supports 7 preset Music EQ 5.Supports DivX Subtitle select 6.with AC 100/240V to DC 5V/12V power 7.Plug & Play and compatible with PCs and Macintosh 8. Supports 480Mbps high-speed USB 2.0 port 9. Supports TV type PAL and NTSC 10. LCD display 11. Panel key control 12. Remote control 13.3.5" SATA HDD. 14.Supports FAT32 & NTFS format. 15.8CM cooling fan 16.Supports AV & S-vedio output <p>OPTION:SD card reader option:USB HOST</p>
<p>EN328TV-E-Combo</p>	<p>ESS6430/SunPlus 1002</p> 	<p>3.5" HDD to TV Player (IDE/SATA HDD)</p> <ol style="list-style-type: none"> 1.Supports media formats: MPEG1-2/DivX/DVD/VCD/JPEG/GIF 2.Supports file format: AVI, DAT, MPG,JPG,GIF 3.Music/Photo Slide Show 4.Supports 7 preset Music EQ 5.Supports DivX Subtitle select 6.with AC 100/240V to DC 5V/12V power 7.Plug & Play and compatible with PCs and Macintosh 8. Supports 480Mbps high-speed USB 2.0 port 9. Supports TV type PAL and NTSC 10. LCD display 11. Panel key control 12. Remote control 13.3.5" IDE/SATA HDD. 14.Supports FAT32 & NTFS format. 15.8CM cooling fan 16.Supports AV & S-vedio output <p>OPTION:SD card reader option:USB HOST</p>

EN327-TV-IDE	ESS6430/SunPlus 1002	3.5" HDD to TV Player (IDE HDD)
		<ol style="list-style-type: none"> 1.Supports media formats: MPEG1-2/DivX/DVD/VCD/JPEG/GIF 2.Supports file format: AVI, DAT, MPG,JPG,GIF 3.Music/Photo Slide Show 4.Supports 7 preset Music EQ 5.Supports DivX Subtitle select 6.with AC 100/240V to DC 5V/12V power 7.Plug & Play and compatible with PCs and Macintosh 8. Supports 480Mbps high-speed USB 2.0 port 9. Supports TV type PAL and NTSC 10. LCD display 11. Panel key control 12. Remote control 13.3.5" IDE HDD. 14.Supports FAT32 & NTFS format. 15.8CM cooling fan 16.Supports AV & S-vedio output <p>OPTION:SD card reader option:USB HOST</p>
EN306DVR	SunPlus 7300	3.5" DVR (IDE or SATA HDD)
		<ol style="list-style-type: none"> 1.Supports media formats: MPEG1-2/DivX/DVD/VCD/JPEG/GIF 2.Supports file format: AVI, DAT, MPG,JPG,GIF 3.Supports TV type PAL and NTSC 4. 3.5" IDE HDD or SATA HDD 5.Supports FAT32 6.Supports AV & S-vediooutput 7.Supports record TV program to HDD or SD Card(option) 8.Supports file farmat:AV1.VOB.DAT.MP4.MPG.JPG.BMP.GIF 9.OPTION:SD card reader 10.OPTION:USB HOST
EN235TV-SATA	ESS6430/SunPlus 1002	2.5" HDD to TV Player (IDE or SATA HDD)
		<ol style="list-style-type: none"> 1.Supports media formats: MPEG1-2/DivX/DVD/VCD/JPEG/GIF 2.Supports file format: AVI, DAT, MPG,JPG,GIF 3.Music/Photo Slide Show 4.Supports 7 preset Music EQ 5.Supports DivX Subtitle select 6.with AC 100/240V to DC 5V power 7.Plug & Play and compatible with PCs and Macintosh 8. Supports 480Mbps high-speed USB 2.0 port 9. Supports TV type PAL and NTSC 10. Option: VGA or SCART TV out cable 11. Panel key control 12. Remote control 13.2.5" IDE or SATA HDD. 14.Supports FAT32 & NTFS format. 15.Supports AV & S-vedio output
EN236TV-SATA	ESS6430/SunPlus 1002	2.5" HDD to TV Player (SATA HDD)
		<ol style="list-style-type: none"> 1.Supports media formats: MPEG1-2/DivX/DVD/VCD/JPEG/GIF 2.Supports file format: AVI, DAT, MPG,JPG,GIF 3.Music/Photo Slide Show 4.Supports 7 preset Music EQ 5.Supports DivX Subtitle select 6.with AC 100/240V to DC 5V power 7.Plug & Play and compatible with PCs and Macintosh 8. Supports 480Mbps high-speed USB 2.0 port 9. Supports TV type PAL and NTSC 10. Option: VGA or SCART TV out cable 11. Panel key control 12. Remote control 13.2.5" SATA HDD. 14.Supports FAT32 & NTFS format. 15.Supports AV & S-vedio output