



UNI-BRAINS CO., LTD.

TEL: +86-769-85846115 FAX: +86-769-85841319
 WEB: <http://www.uni-brains.com/> & <http://www.nigogo.com.tw>
 Email: www@uni-brains.com or sales@nigogo.com.tw

3.5" Series HDD Enclosure

Model No.	Product Photo	Description
EN326U		USB 2.0 (for 3.5" IDE HDD) 1. Supports USB V1.1/V2.0 2. Built-in USB2.0-to-IDE interface Controller with general IDE interface & bulk-only transfer of USB mass storage class support upto UDMA66 for storage device. 3. Easy installation 4. Cooling fan (8CM) 5. With AC 100/240V TO DC 5V/12V power 6. Aluminum made case. 7. Plug & play with Win2000/ME/XP/CE3.0,win98 with driver 8. Supports Mac OS9.1/Mac OS X
EN326S		USB 2.0 Serial SATA 1. Compliant with serial ATA specifications Revision1.0 2. Supports serial ATA Generation 1 transfer rate of 1.5GB/s (150MB/S) 3. Suitable for 3.5" HDD 4. Support hot swappable
EN326S-II		USB 2.0+SATA II to SATA 1. Compliance with Grnli, Gen1m,Gen2i and gen2m of Serial ATA II Electrical Specification 1.0 2. Support SATA II Asynchronous Signal Recovery(Hot Plug) feature 3. Support SATAII 1.5G/3.0G Speed Negotiation 4. Support SATA II NCQ 5. Compliance with USB 2.0 electrical specification 6. Support USB 2.0 High-Speed and Full-Speed Operation 7. Support ATA/ATAPI PACKET command feature set 8. 3.5" SATA I/II HDD 9. Cooling Fan(8CM) 10. Aluminum made case
EN326LAN		USB 2.0 LAN NAS (3.5" IDE HDD) 1. Working on NAS system,compliant to SAMPA and FTP 2. DHCP Server collocation,and admeasure IP automatically 3. Aluminum made case, lightweight 4. Silent cooling fan(8cm) 5. Easy installation 6. Support USB V2.0(480mkps) 7. Plug& play,dissipate the heat-air away 8. LED show ,HDD active, USB on,LAN active,LAN speed(10/100M)
EN327U		USB 2.0 (3.5" IDE HDD) 1. Supports USB V1.1/V2.0 2. Built-in USB2.0-to-IDE interface Controller with general IDE interface & bulk-only transfer of USB mass storage class support upto UDMA66 for storage device. 3. Easy installation 4. Cooling fan (8CM) 5. With AC 100/240V TO DC 5V/12V power 6. Aluminum made case. 7. Plug & play with Win2000/ME/XP/CE3.0,win98 with driver 8. Supports Mac OS9.1/Mac OS X



UNI-BRAINS CO., LTD.


TEL: +86-769-85846115 FAX: +86-769-85841319
 WEB: <http://www.uni-brains.com/> & <http://www.nigogo.com.tw>
 Email: www@uni-brains.com or sales@nigogo.com.tw

Model No.	Product Photo	Description
EN327S		USB 2.0 SERIAL SATA(for 3.5" SATA HDD) 1. Compliant with serial ATA specifications Revision1.0 2. Supports serial ATA Generation 1 transfer rate of 1.5GB/s (150MB/S) 3. Suitable for 3.5" HDD 4. Support hot swappable
EN327S-II		USB 2.0 + SATA II to SATA 1.Compliance with Grnlii, Gen1m,Gen2i and gen2m of Serial ATA II Electrical Specification 1.0 2. Support SATA II Asynchronous Signal Recovery(Hot Plug) feature 3.Support SATAII 1.5G/3.0G Speed Negotiation 4.Support SATA II NCQ 5.Compliance with USB 2.0 electrical specification 6.Support USB 2.0 High-Speed and Full-Speed Operation 7.Support ATA/ATAPI PACKET command feature set 8.3.5" SATA I/II HDD 9.Cooling Fan(8CM) 10.Aluminum made case
EN318U2		USB 2.0 (3.5" IDE HDD) 1. Supports USB V1.1/V2.0 2.Built-in USB2.0-to-IDE interface Controller wuth general IDE interface & bulk-only transfer of USB mass storage class support upto UDMA66 for storage device. 3. Easy installation ,tool free. 4. With AC 100/240V TO DC 5V/12V power 5. Full Aluminum made case. 6. Plug & play with Win2000/ME/ XP/CE3.0,win98 with driver 7. Supports Mac OS9.1/Mac OS X
EN318S		USB 2.0 SERIAL SATA 1. Compliant with serial ATA specifications Revision1.0 2. Supports serial ATA Generation 1 transfer rate of 1.5GB/s (150MB/S) 3. Suitable for 3.5" HDD 4. Support hot swappable
EN318CO		USB 2.0/1394 Combo (3.5" IDE HDD) 1. Supports USB V1.1/V2.0 2.Built-in USB2.0-to-IDE interface Controller wuth general IDE interface & bulk-only transfer of USB mass storage class support upto UDMA66 for storage device. 3. Easy installation ,tool free. 4. With AC 100/240V TO DC 5V/12V power 5. Full Aluminum made case. 6. Plug & play with Win2000/ME/ XP/CE3.0,win98 with driver 7. Supports Mac OS9.1/Mac OS X 8.support 1394 interface for 400M .
EN318UH		USB 2.0 w/3 Ports HUB (3.5" IDE HDD) 1. Supports USB V1.1/V2.0 2.Built-in USB2.0-to-IDE interface Controller wuth general IDE interface & bulk-only transfer of USB mass storage class support upto UDMA66 for storage device. 3. Easy installation ,tool free. 4. With AC 100/240V TO DC 5V/12V power 5. Full Aluminum made case. 6. With 3 usb 2.0 port. 7. Plug & play with Win2000/ME/XP/CE3.0,win98 with driver 8. Supports Mac OS9.1/Mac OS X



UNI-BRAINS CO., LTD.

TEL: +86-769-85846115 FAX: +86-769-85841319
 WEB: <http://www.uni-brains.com/> & <http://www.nigogo.com.tw>
 Email: www@uni-brains.com or sales@nigogo.com.tw

Model No.	Product Photo	Description
EN318UHC		USB 2.0 w/2 Ports HUB/Multi-in-1 Card Reader (3.5" IDE HDD) 1. Supports USB V1.1/V2.0 2. Built-in USB2.0-to-IDE interface Controller with general IDE interface & bulk-only transfer of USB mass storage class support upto UDMA66 for storage device. 3. Easy installation ,tool free. 4. Cooling fan (option) 5. With AC 100/240V TO DC 5V/12V power 6. Full Aluminum made case. 7. With 3 usb 2.0 port. 8. Plug & play with Win2000/ME/XP/CE3.0,win98 with driver 9. Supports Mac OS9.1/Mac OS X 10. Usb 2.0 19 in 1 card reader/writer Support SM/CF I/CF II/MD/SD/Mini SD/T Flash/MMC I/MMC II/RS-MMC/MS/MS Pro/ MS Duo/MS MG/MS MG Pro/MS MG Duo/ MS MG Pro Duo/MS Pro Duo/XD(Optional)
EN381U		USB 2.0 (3.5" IDE HDD) 1. Supports USB V1.1/V2.0 2. Built-in USB2.0-to-IDE interface Controller with general IDE interface & bulk-only transfer of USB mass storage class support upto UDMA66 for storage device. 3. With AC 100/240V TO DC 5V/12V power 4. Plug & play with Win2000/ME/XP/CE3.0,win98 with driver 5. Supports Mac OS9.1/Mac OS X
EN381S		USB 2.0 to SATA (3.5" SATA HDD) 1. Supports USB V1.1/V2.0 2. Built-in USB2.0-to-SATA interface Controller with general IDE interface & bulk-only transfer of USB mass storage class support upto UDMA66 for storage device. 3. With AC 100/240V TO DC 5V/12V power 4. Plug & play with Win2000/ME/XP/CE3.0,win98 with driver 5. Supports Mac OS9.1/Mac OS X
EN381US		USB 2.0 (3.5" IDE/SATA HDD) 1. Supports USB V1.1/V2.0 2. Built-in USB2.0-to-IDE interface Controller with general IDE interface & bulk-only transfer of USB mass storage class support upto UDMA66 for storage device. 3. With AC 100/240V TO DC 5V/12V power 4. Plug & play with Win2000/ME/XP/CE3.0,win98 with driver 5. Supports Mac OS9.1/Mac OS X
EN381SATA-II		USB 2.0 + SATA II to SATA 1. Compliance with Grnli, Gen1m,Gen2i and gen2m of Serial ATA II Electrical Specification 1.0 2. Support SATA II Asynchronous Signal Recovery(Hot Plug) feature 3. Support SATAII 1.5G/3.0G Speed Negotiation 4. Support SATA II NCQ 5. Compliance with USB 2.0 electrical specification 6. Support USB 2.0 High-Speed and Full-Speed Operation 7. Support ATA/ATAPI PACKET command feature set 8. 3.5" SATA I/II HDD



UNI-BRAINS CO., LTD.

TEL: +86-769-85846115 FAX: +86-769-85841319
 WEB: <http://www.uni-brains.com/> & <http://www.nigogo.com.tw>
 Email: www@uni-brains.com or sales@nigogo.com.tw

Model No.	Product Photo	Description
EN338U		USB 2.0 to SATA (3.5" SATA HDD) 1. Supports USB V1.1/V2.0 2. Built-in USB2.0-to-SATA interface Controller with general IDE interface & bulk-only transfer of USB mass storage class support upto UDMA66 for storage device. 3. With AC 100/240V TO DC 5V/12V power 4. Plug & play with Win2000/ME/XP/CE3.0,win98 with driver 5. Supports Mac OS9.1/Mac OS X
EN338S		USB 2.0 (3.5" IDE/SATA HDD) 1. Supports USB V1.1/V2.0 2. Built-in USB2.0-to-IDE interface Controller with general IDE interface & bulk-only transfer of USB mass storage class support upto UDMA66 for storage device. 3. With AC 100/240V TO DC 5V/12V power 4. Plug & play with Win2000/ME/XP/CE3.0,win98 with driver 5. Supports Mac OS9.1/Mac OS X
EN338S-II		USB 2.0 + SATA-II to SATA 1. Compliance with Grnlii, Gen1m, Gen2i and gen2m of Serial ATA II Electrical Specification 1.0 2. Support SATA II Asynchronous Signal Recovery (Hot Plug) feature 3. Support SATAII 1.5G/3.0G Speed Negotiation 4. Support SATA II NCQ 5. Compliance with USB 2.0 electrical specification 6. Support USB 2.0 High-Speed and Full-Speed Operation 7. Support ATA/ATAPI PACKET command feature set 8. 3.5" SATA I/II HDD
EN338CO		USB 2.0/1394 Combo (3.5" IDE HDD) 1. Supports USB V1.1/V2.0 2. Built-in USB2.0-to-IDE interface Controller with general IDE interface & bulk-only transfer of USB mass storage class support upto UDMA66 for storage device. 3. Easy installation 4. With AC 100/240V TO DC 5V/12V power 5. Plug & play with Win2000/ME/XP/CE3.0,win98 with driver 6. 3.5" IDE HDD 7. Supports Mac OS9.1/Mac OS X
EN366S		USB 2.0 to Two SATA (3.5" SATA HDD) 1. Support SATA 1.5G/3.0G Speed Negotiation 2. Support SATA II Asynchronous Signal Recovery (Host Plug) feature 3. Support SATA II NCQ 4. Support USB 2.0 High-Speed and Full-Speed Operation 5. Support double-SATA HDD 6. Support single-SATA HDD 7. Support two SATA HDD merger into one to part and work 8. Power input AC: 100-240V 9. Self power consumption +5V and +12V, 3A 10. USB 2.0 interface (backwards compatible with USB 1.1) 11. Supports up to 480 Mbit/sec 12. 40 X faster than USB 1.1